

Material Safety Data Sheet This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200



CLASS E: Corrosive liquid.

Class: Corrosive material

WHMIS (Pictograms)

WHMIS (Classification)

HCS

Section 1 C	hemical Product ar	ad Camanam.	:
Occion i. C	nemicai Frouuct ai	iu company	/ identification

	activities and company technication		
Product Name/ Trade name	Cide-Bet, Citrus Bouquet	Code	087
Synonym	Hospital Disinfectant Foaming Germicidal Cleaner	CAS#	Mixture.
Chemical Family	Not available.	Validation I	Date 3/2/2007
Chemical Formula	Not applicable.	Print Date	3/23/2007
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Oh 43607 (419) 241-2156	In Case of Emergency	Chemtrec (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing	SHOP WATCHER CONTROL OF THE PROPERTY OF THE PR	PER COMMENT FOR COMMENT AND AN ADMINISTRATION OF THE PROPERTY
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		Protective Clothing

Section 2. Composition and Information on Ingredients					
Name	CAS#	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀	
2-Butoxyethanol	111-76-2	0-5	TWA: 20 (ppm) from ACGIH (TLV) [United States] TWA: 50 (ppm) from OSHA (PEL) [United States]	ORAL (LD50): Acute: 1746 mg/kg [Rat].	
Sodium Metasilicate	6834-92-0	0-5	Not available.	Not available.	
Tetrasodium salt of ethylendiaminetetraacetic acid	64-02-8	0-5	Not available.	ORAL (LD50): Acute: 3030 mg/kg [Rat].	
Diethylene Glycol Ethyl Ether	111-90-0	0-5	TWA: 25 CEIL: 25 (ppm)	ORAL (LD50): Acute: 5540 mg/kg [Rat].	
Nonionic Surfactant	127087-87-0	0-5	Not available.	Not available.	
Sodium Nitrite	7632-00-0	<1	Not available.	Not available.	
Perfume Oil	N/A	0-5	Not available.	Not available.	
Liquified Petroleum Gas	68476-85-7	0-5	TWA: 1000 (ppm) TWA: 1000 (ppm) from OSHA (PEL) [United States]	Not available.	
Quaternary Ammonium Chloride	68391-01-5	0.2	Not available.	Not available.	

Section 3. Hazards Identification		
Potential Acute Health Effects	This product is an eye irritant. Skin Irritant.	
Potential Chronic Health Effects	Repeated skin exposure can produce local skin destruction, or dermatitis.	
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.	

Section 4. Fir	st Aid Measures
Eye Contact	Hold eye open and rinse slowly and thoroughly with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin Contact	Remove contaminated clothing and shoes. Rinse skin with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration., preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do NOT induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person

Section 5. Fire Fighting Measures		
Products of Combustion	Not available.	
Fire Fighting Media and Instructions	Water fog ,dry chemical, CO2.	
Special Remarks on Fire Hazards	N/A	
Special Remarks on Explosion Hazards	Heated cans may burst.	

Section 6. Accidental Release Measures		
Small Spill and Leak	Safety glasses recommended.	
Large Spill and Leak	Absorb with an inert material and put the spilled material in an appropriate waste disposal.	
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.	

Section 7. Han	Section 7. Handling and Storage	
Precautions		
Incompatibility	None known.	
Storage	Keep out of the reach of children. Not for use or storage in or around the home.	

Engineering Controls	Good general ventilation should be sufficient to control airborne levels.
Personal Protection Ey	<i>es</i> Safety glasses.
Boo	dy Lab coat.
Respirato	ry No special recommendations.
Hand	ds Gloves.
Protective Clothing (Pictograms)	

Exposure Limits

2-Butoxyethanol
TWA: 25 (ppm)
TWA: 50 (ppm) from OSHA (PEL) [United States]
Liquified Petroleum Gas
TWA: 1000 (ppm)
TWA: 1000 (ppm) from OSHA (PEL) [United State

TWA: 1000 (ppm) from OSHA (PEL) [United States]

Consult local authorities for acceptable exposure limits.

Section 9. Physic	al and Chemical Properties		
Physical State and Appearance	Liquid.	Odor	Pleasant.
Molecular Weight	Not applicable.	Taste	
рН	12 to 12.8 [Basic.]	Color	White.
Boiling/Condensation Point	N/A		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	Not available.		
Vapor Pressure	50 psig @ 68°F		
Vapor Density	>1 (Air = 1)		
Volatility	95		
VOC	Not available.		
Evaporation Rate	<1		
Dispersion Properties	See solubility in water.		
Solubility	Easily soluble in cold water.		
The Product is:	May be combustible at high temperature.		
Auto-ignition Temperature	Not available.		
Flash Points	Not available.		
Flammable Limits	LOWER: 1.8% UPPER: 12%		
Fire Hazards in Presence of Various Substances	Not available.		
Explosion Hazards in Presence of Various Substances	Heated Cans May burst	NATIONS SAMBLES SAMBLE	

Section 10. Stability and Reactivity Data	
Stability The product is stable.	
Incompatibility with Various Substances	None known.
Hazardous Decompositi Products	ion Will not occur.

Section 11. Toxicological Information		
Routes of Entry	Eye contact.	
Toxicity to Animals	Acute oral toxicity (LD50): 1746 mg/kg [Rat]. (2-Butoxyethanol).	
Acute Effects on Humans		
Eyes	Eye irritant. Liquid and mist may damage the eyes causing corneal injury.	
Skin	Skin irritant. Prolonged or repeated contact may cause dermatitis.	
Inhalation	Vapors may be irritating to mucous membranes of the nose, throat, and lungs.	
Ingestion	May be irritating to the mouth, throat, and gastrointestinal system. Vomiting and diarrhea expected with large doses.	
Chronic Effects on Humans	Repeated skin exposure can produce local skin destruction, or dermatitis.	
Special Remarks on Toxicity to Animals	Not available.	
Special Remarks on Chronic Effects on Humans	Not available.	

Section 12. Ecological Information				
Ecotoxicity	Not available.			
BOD5 and COD	Not available.			
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.			
Toxicity of the Products of Not available. Biodegradation				
Special Remarks on the Products of Biodegradation	Not available.			

Section 13. Disposal Considerations		
Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.	
Waste Stream	Not available.	

Section 14. Transport Information

DOT (U.S.A) (Pictograms)



TDG Classification Class 8: Corrosive material



PIN UN, Proper Shipping Shipping name: CORROSIVE LIQUIDS, N.O.S. UNNA: UN1760 PG: Not available. Name, PG

Maritime Transportation Not available.

Special Provisions for Transport

Not available.

CLASS E: Corrosive	iquid.	(E)
No products were found.		
OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).		
HCS (U.S.A.)	Class: Corrosive material	
USA Regulatory Lists		
	SARA 311/312 MSDS distribution - c identification: 2-Butoxyethanol: imme hazard; Diethylene Glycol Ethyl Ethel Petroleum Gas: fire SARA 313 toxic chemical notification 2-Butoxyethanol; Diethylene Glycol E	ediate health hazard, delayed health r: fire; Sodium Nitrite; Liquified and release reporting:
DSD (EEC)	This product is not classified according to the EU regulations.	
International Regulations Lists	No products were found.	
Health Flammability Physical Hazard	3 National Fire 1 Protection 0 Association	Health 3 1 1 Instability
	No products were OSHA: Hazardous HCS (U.S.A.) USA Regulatory Lists DSD (EEC) International Regulations Lists Health Flammability	OSHA: Hazardous by definition of Hazard Communication HCS (U.S.A.) Class: Corrosive material USA Regulatory Lists SARA 311/312 MSDS distribution - or identification: 2-Butoxyethanol: immes hazard; Diethylene Glycol Ethyl Ethe Petroleum Gas: fire SARA 313 toxic chemical notification 2-Butoxyethanol; Diethylene Glycol Ethylene Glyc

Section 16. Other Information	
Validated by CRushton on 3/2/2007.	Verified by CRushton.
	Printed 3/23/2007.
Information Contact Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607	
liability whatsoever for the accuracy or completeness of the inform	sponsibility of the user. All materials may present unknown hazards and should be used with

Validated on 3/2/2007. Cide-Bet, Citrus Bouquet Page: 5/5

Continued on Next Page