

Bus Garage

MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION & EMERGENCY INFORMATION

PRODUCT NAME: 4210 Synthetic Air Compressor Oil SAE 10

MANUFACTURER'S NAME: ET - Petroleum Solutions Inc.
809 Douglas Street
P.O. Box 389
Bremen, IN 46506

EMERGENCY

PHONE NUMBER: 1-888-505-0390

NFPA CODE: Health: 1 Fire: 1 Reactivity: 0

HMIS CODE: Health: 1 Fire: 1 Reactivity: 0

SECTION II - INGREDIENTS & EXPOSURE LIMITS

<u>COMPONENT(S)</u> <u>(CHEMICAL & COMMON NAME)</u>	<u>OSHA</u> <u>PEL</u>	<u>ACGIH</u> <u>TLV</u>	<u>OTHER</u> <u>EXPOSURE</u> <u>LIMITS</u>	<u>CAS NO.</u>
Proprietary Mixture	N/A	N/A		N/A
Colorant	N/A	N/A		N/A
Xylene	N/A	N/A		1330-20-7

The precise composition of this mixture is proprietary information. A more complete disclosure will be provided to a physician or nurse in the event of a medical emergency.

SECTION III - HEALTH HAZARD INFORMATION (OVEREXPOSURE)

ACUTE: May cause eye or skin irritation.

CHRONIC: Prolonged or repeated skin contact with this product tends to remove skin oils, possibly leading to irritation and dermatitis. Minute amounts aspirated into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.

EYE CONTACT: May cause irritation which may cause headaches, dizziness, nausea, discomfort, tearing or blurring of vision.

SKIN CONTACT: May cause irritation.

INHALATION: Vapor inhalation under ambient conditions is normally not a problem.

INGESTION: May cause irritation of the gastrointestinal lining, vomiting, diarrhea, headaches and nausea. Aspiration into the lungs may cause mild to severe pulmonary injury and possibly death.

CHEMICAL LISTED AS OSHA: No
CARCINOGEN OR National Toxicology Program: No
POTENTIAL CARCINOGEN: I.A.R.C. Monographs: No

SECTION IV - EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Flush immediately with clear water for at least 15 minutes. See a physician if irritation persists.

SKIN CONTACT: Remove any contaminated clothing and wash skin thoroughly with soap and water. Launder contaminated clothing before reuse.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Get medical attention.

INGESTION: Do not induce vomiting. Immediately give milk or water to dilute stomach contents. Keep warm and quiet. Get prompt medical attention. Never give anything by mouth to an unconscious person.

SECTION V - PHYSICAL & CHEMICAL CHARACTERISTICS

BOILING POINT: Not Available	MELTING POINT: Not available
SPECIFIC GRAVITY (H₂O=1): < 1	VAPOR PRESSURE (mmHg): Not available
VAPOR DENSITY (Air=1): Greater than air	SOLUBILITY IN WATER: Negligible
APPEARANCE AND ODOR: Green liquid	REACTIVITY IN WATER: None

SECTION VI - PHYSICAL HAZARDS (REACTIVITY DATA)

STABILITY: Stable

CONDITIONS TO AVOID: None

INCOMPATIBILITY (MATERIALS TO AVOID): Oxidizing and reducing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Fumes, smoke, carbon monoxide, oxides of nitrogen, phosphorus and sulfur, and other decomposition products, in the case of incomplete combustion.

HAZARDOUS POLYMERIZATION: Will Not Occur

CONDITIONS TO AVOID: None

SECTION VII - FIRE & EXPLOSION DATA

TYPICAL FLASH POINT: 510° F

METHOD USED: ASTM D-92

FLAMMABLE LIMITS IN AIR % BY VOLUME: LEL - N/A UEL - N/A

AUTO-IGNITION TEMPERATURE: Not available

EXTINGUISHER MEDIA: Dry chemical, water spray fog, foam, or carbon dioxide.

SPECIAL FIRE FIGHTING PROCEDURES: Use water spray to cool fire exposed surfaces and to protect personnel. Respiratory and eye protection are required for all fire fighting personnel.

UNUSUAL FIRE & EXPLOSION HAZARDS: Toxic fumes, gases, or vapors may evolve on burning. Vapors may be heavier than air and may travel along the ground.

SECTION VIII - SPECIAL PRECAUTIONS & SPILL/LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN

IN HANDLING & STORAGE: Keep containers closed when not in use. Store in well ventilated area away from sparks, flame, heat, and oxidizing and reducing agents. Store at ambient temperatures. Wash thoroughly after handling.

SPILL PROCEDURES: Remove sources of ignition. Ventilate area. Prevent entry into sewers and waterways. Advise authorities if product has entered or may enter sewers, waterways, or extensive land areas. Absorb with inert material for disposal.

WASTE DISPOSAL METHODS

(Consult federal, state and local regulations): May require excavation of contaminated soil. Absorbed material should be disposed of in a manner which is acceptable by federal, state, and local regulations.

SECTION IX - SPECIAL PROTECTION INFORMATION/CONTROL MEASURES

RESPIRATION PROTECTION: Minimize breathing of vapors or mists.

FOR HANDS OR BODY: Use chemical-resistant gloves, apron, or other impervious clothing to avoid staining of regular clothing or irritation which could result in prolonged or repeated skin contact. Wash contaminated area thoroughly.

FOR EYES: Use splash goggles or face shield.

VENTILATION: Mechanical ventilation is recommended in confined areas.

SECTION X - TRANSPORTATION & LABELING

U.S. DOT BULK SHIPPING DESCRIPTION: Not Regulated

U.S. DOT NON-BULK SHIPPING DESCRIPTION: Not Regulated

SECTION XI - REGULATORY INFORMATION

U.S. TSCA INVENTORY: All components of this material are on the US TSCA Inventory.

SARA EXTREMELY

HAZARDOUS SUBSTANCES: This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substances list.

SARA SECTION 313: This product is not known to contain greater than 1.0% (greater than 0.1% for carcinogenic substance) of any chemical substances listed under SARA Section 313.

DATE PREPARED: 11/15/2010

SUPERSEDES ISSUE DATE: All

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of seller's knowledge; however, seller makes no warranty whatsoever, expressed, implied or of merchantability regarding the accuracy of such data or the results to be obtained from the use thereof, seller assumes no responsibility for injury to buyer or to third persons or for any damage to any property and buyer assumes all such risks.